

TA IQ


COMPANY:		Shipping address:	
Customer number:	Date:	Address:	
		Postcode:	Town/City:
Cost Estimate:	Order:	Country:	Phone:
Contact person:		E-Mail:	
Reference:			

Specifications

	FWD	MWD	RWD
Lenght with leg support: (mm)	985-1100	985-1100	940-1060
Overall width: (mm)	630		
Seat width min.-max.: (mm)	250-550		
Seat depht min.-max.: (mm)	250-600		
Seat height w/o cushion: (mm)	380		
Backrest height min.-max.: (mm)	540-665		
Seat tilt: (°)	45		
Backrest angle min.-max.: (°)	50-96		
Lift: (mm)	300		
Footplate to seat distance min.-max.: (mm)	540-665		
Leg to seat surface angle min.-max.: (°)	90-180		
Arm support to seat distance	370-475		

	FWD	MWD	RWD
Total mass: (kg)	150	155	150
Maximum user weight: (kg)	140		
Dynamic stability uphill: (°)	10		
Obstacle climbing: (mm)	100	80	80
Ground clearance: (mm)	700		
Max. speed forward: (km/h)	10 / 12,5		
Minimum turning radius: (mm)	650	450	650
Range w. batteries 80Ah: (km)	40		

User details



All seat dimensions are always measured without seat cushion!

01 Seat depth:
02 Seat width:
03 Chest width:
04 Chest depth:
05 Elbow height:
06 Arm pit height:
07 Back height:
08 Head height:
09 Forearm lenght
10 Lower leg lenght
Height:
Weight (kg):

Specify dimensions in mm

Refer to the sketches!

The grey colored rows are indicative and show a standard configuration

1 Chassis / Motor

CODE	DESCRIPTION	Speed	Motor Power	Range	Max. User weight
<input type="checkbox"/> 97050	TA IQ Midwheel electric wheelchair Lift 300 mm & tilt 45° included	12 km/h	2 x 350 W	40 km	140 kg
<input type="checkbox"/> 97055	TA IQ Midwheel electric wheelchair Lift 300 mm & tilt 45° included	10 km/h	2 x 350 W	40 km	140 kg
<input type="checkbox"/> 97060	TA IQ Rearwheel electric wheelchair Lift 300 mm & tilt 45° included	12 km/h	2 x 350 W	40 km	140 kg
<input type="checkbox"/> 97065	TA IQ Rearwheel electric wheelchair Lift 300 mm & tilt 45° included	10 km/h	2 x 350 W	40 km	140 kg
<input type="checkbox"/> 97070	TA IQ Frontwheel electric wheelchair Lift 300 mm & tilt 45° included	12 km/h	2 x 350 W	40 km	140 kg
<input type="checkbox"/> 97075	TA IQ Frontwheel electric wheelchair Lift 300 mm & tilt 45° included	10 km/h	2 x 350 W	40 km	140 kg



97050/97055




97060/97065



97070/97075

Options for chassis / Motor

CODE	DESCRIPTION
<input type="checkbox"/> 95380	Gyro module (standard incl. for FWD) includes item: 95286, 95265 and 95507
<input type="checkbox"/> 97349	Antitip for RWD and FWD, set
<input type="checkbox"/> 97266	Dahl car docking with lock plate
<input type="checkbox"/> 97267	Dahl car attachment w/o lock plate



97266

2 Battery and chargers

CODE	DESCRIPTION
<input type="checkbox"/> 97432	Batteries 80Ah (2 pcs)
<input type="checkbox"/> 97193	Charger 8A Celpower
<input type="checkbox"/> 97284	Charger 10A Medico

3 Wheels



Drive wheels 3.00-8

	Pneumatic tyres		Puncture-proof tyres	
	Tire grey	Tire black	Tire grey	Tire black
Rims alu grey	<input type="checkbox"/> 97142	<input type="checkbox"/> 97263	<input type="checkbox"/> 97226	<input type="checkbox"/> 97264
Rims alu black	<input type="checkbox"/> 97244	<input type="checkbox"/> 97194	<input type="checkbox"/> 97265	<input type="checkbox"/> 97196

Castor wheels 200 x 50

	Pneumatic tyres		Puncture-proof tyres	
	Tire grey	Tire black	Tire grey	Tire black
Rims alu grey	<input type="checkbox"/> 97292	<input type="checkbox"/> 97260	<input type="checkbox"/> 97227	<input type="checkbox"/> 97261
Rims alu black	<input type="checkbox"/> 97245	<input type="checkbox"/> 97259	<input type="checkbox"/> 97262	<input type="checkbox"/> 97195

Drive wheels 12½ x 2 1/4

	Pneumatic tyres		Puncture-proof tyres	
	Tire grey	Tire black	Tire grey	Tire black
Rims alu black	<input type="checkbox"/> 97270	<input type="checkbox"/> 97131	<input type="checkbox"/> 97348	<input type="checkbox"/> 97143

Castor wheels 4"

	Pneumatic tyres		Puncture-proof tyres	
	Tire grey	Tire black	Tire grey	Tire black
Rims alu black	<input type="checkbox"/> 97269	<input type="checkbox"/> 97314	<input type="checkbox"/> 97313	<input type="checkbox"/> 97300

Options for chassis / Motor

CODE	DESCRIPTION
<input type="checkbox"/> 97378 97379	Standard fork, tire acts as protection (pair)
<input type="checkbox"/> 97345	Double fork (pair)
<input type="checkbox"/> 97282	Guards castorswheels iQ small, set

Not in combination with double fork 97345 reinforced



97378/97379



97345



97282

4 Seat

Lift / tilt

CODE	DESCRIPTION						
<input type="checkbox"/>	97104 Acuator lift 300 mm						
<input type="checkbox"/>	97099 Seat tilt 45°						
	Electric seat glide 110mm	seat width	380mm	400mm	450mm	500mm	550mm
			20710-1	20710-2	20710-3	20710-4	20710-5
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



97104



97099

Seat width

CODE	DESCRIPTION	
<input type="checkbox"/>	Seat width 250mm	adjustable to 250 - 300 or 350 mm
<input type="checkbox"/>	Seat width 380mm	including depth extender (80233)
<input type="checkbox"/>	Seat width 400mm	including depth extender (80233)
<input type="checkbox"/>	Seat width 450mm	including depth extender (80216)
<input type="checkbox"/>	Seat width 500mm	including depth extender (80215) reinforced with middle plate (80502)
<input type="checkbox"/>	Seat width 550mm	including depth extender (80215) reinforced with middle plate (80502)

Seat depth

Seat depth is stepless adjustable from 250 - 600mm:	Specify required seat depth, mandatory:	-----
---	---	-------

Seat system

CODE	DESCRIPTION	Seat width				
<input type="checkbox"/>	80519 TA Strap seat	380mm	400mm	450mm	500mm	550mm
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



80519

Seat cushion



Varilite Evolution™
PSV

For wheelchair users with a high degree of tissue breakdown and symmetric positioning needs.

VARILITE's PSV takes guesswork out of cushion adjustment and makes it automatic. Evolution PSV uses VARILITE's revolutionary new Pressure Setting Valve (patent pending). The PSV works by sensing the amount of internal cushion pressure. As air is released, internal pressure decreases and the user is immersed in the cushion for effective pressure distribution.

CODE	DESCRIPTION	WIDTH x DEPTH (mm)
<input type="checkbox"/> 93000	Varilite Evolution™ PSV	300x350
<input type="checkbox"/> 93001	Varilite Evolution™ PSV	350x350
<input type="checkbox"/> 93002	Varilite Evolution™ PSV	350x400
<input type="checkbox"/> 93420	Varilite Evolution™ PSV	350x450
<input type="checkbox"/> 93421	Varilite Evolution™ PSV	350x500
<input type="checkbox"/> 93422	Varilite Evolution™ PSV	380x380
<input type="checkbox"/> 93423	Varilite Evolution™ PSV	380x430
<input type="checkbox"/> 93424	Varilite Evolution™ PSV	400x350
<input type="checkbox"/> 93003	Varilite Evolution™ PSV	400x400
<input type="checkbox"/> 93004	Varilite Evolution™ PSV	400x450
<input type="checkbox"/> 93005	Varilite Evolution™ PSV	400x500
<input type="checkbox"/> 93006	Varilite Evolution™ PSV	430x430
<input type="checkbox"/> 93007	Varilite Evolution™ PSV	450x400
<input type="checkbox"/> 93008	Varilite Evolution™ PSV	450x450
<input type="checkbox"/> 93009	Varilite Evolution™ PSV	450x500
<input type="checkbox"/> 93435	Varilite Evolution™ PSV	500x400
<input type="checkbox"/> 93268	Varilite Evolution™ PSV	500x450
<input type="checkbox"/> 93010	Varilite Evolution™ PSV	500x500
<input type="checkbox"/> 93277	Varilite Evolution™ PSV	550x450
<input type="checkbox"/> 93278	Varilite Evolution™ PSV	550x500
<input type="checkbox"/> 93279	Varilite Evolution™ PSV	600x450
<input type="checkbox"/> 93280	Varilite Evolution™ PSV	600x500



Varilite Meridian™
PSV

Dual-chambered, adjustable skin protection cushion. Ideal for prevention of sacral sitting

VARILITE's PSV takes guesswork out of cushion adjustment and makes it automatic. Evolution PSV uses VARILITE's revolutionary new Pressure Setting Valve (patent pending). The PSV works by sensing the amount of internal cushion pressure. As air is released, internal pressure decreases and the user is immersed in the cushion for effective pressure distribution.

CODE	DESCRIPTION	WIDTH x DEPTH (mm)
<input type="checkbox"/> 93362	Varilite Meridian™ PSV	300x350
<input type="checkbox"/> 93363	Varilite Meridian™ PSV	350x350
<input type="checkbox"/> 93364	Varilite Meridian™ PSV	350x400
<input type="checkbox"/> 93411	Varilite Meridian™ PSV	350x450
<input type="checkbox"/> 93412	Varilite Meridian™ PSV	350x500
<input type="checkbox"/> 93414	Varilite Meridian™ PSV	380x380
<input type="checkbox"/> 93415	Varilite Meridian™ PSV	380x430
<input type="checkbox"/> 93413	Varilite Meridian™ PSV	400x350
<input type="checkbox"/> 93365	Varilite Meridian™ PSV	400x400
<input type="checkbox"/> 93366	Varilite Meridian™ PSV	400x450
<input type="checkbox"/> 93367	Varilite Meridian™ PSV	400x500
<input type="checkbox"/> 93368	Varilite Meridian™ PSV	430x430
<input type="checkbox"/> 93369	Varilite Meridian™ PSV	450x400
<input type="checkbox"/> 93370	Varilite Meridian™ PSV	450x450
<input type="checkbox"/> 93371	Varilite Meridian™ PSV	450x500
<input type="checkbox"/> 93571	Varilite Meridian™ PSV	450x550
<input type="checkbox"/> 93410	Varilite Meridian™ PSV	500x400
<input type="checkbox"/> 93372	Varilite Meridian™ PSV	500x450
<input type="checkbox"/> 93373	Varilite Meridian™ PSV	500x500
<input type="checkbox"/> 93416	Varilite Meridian™ PSV	550x450
<input type="checkbox"/> 93417	Varilite Meridian™ PSV	550x500
<input type="checkbox"/> 93418	Varilite Meridian™ PSV	600x450
<input type="checkbox"/> 93419	Varilite Meridian™ PSV	600x500



For wheelchair users with challenging, asymmetric skin protection, positioning and postural support requirements. Modifiable.

Varilite Pro-Form NX™
Single chamber

CODE	DESCRIPTION	WIDTH x DEPTH (mm)
<input type="checkbox"/> 93306	Varilite Pro-Form NX™, single chamber	300x350
<input type="checkbox"/> 93307	Varilite Pro-Form NX™, single chamber	350x350
<input type="checkbox"/> 93308	Varilite Pro-Form NX™, single chamber	350x400
<input type="checkbox"/> 93042	Varilite Pro-Form NX™, single chamber	380x380
<input type="checkbox"/> 93043	Varilite Pro-Form NX™, single chamber	380x430
<input type="checkbox"/> 93309	Varilite Pro-Form NX™, single chamber	400x400
<input type="checkbox"/> 93310	Varilite Pro-Form NX™, single chamber	400x450
<input type="checkbox"/> 93311	Varilite Pro-Form NX™, single chamber	400x500
<input type="checkbox"/> 93044	Varilite Pro-Form NX™, single chamber	430x430
<input type="checkbox"/> 93312	Varilite Pro-Form NX™, single chamber	450x400
<input type="checkbox"/> 93313	Varilite Pro-Form NX™, single chamber	450x450
<input type="checkbox"/> 93314	Varilite Pro-Form NX™, single chamber	450x500
<input type="checkbox"/> 93045	Varilite Pro-Form NX™, single chamber	500x400
<input type="checkbox"/> 93046	Varilite Pro-Form NX™, single chamber	500x450
<input type="checkbox"/> 93315	Varilite Pro-Form NX™, single chamber	500x500



For wheelchair users with challenging, asymmetric skin protection, positioning and postural support requirements. Modifiable.

Varilite Pro-Form NX™
Dual chamber

CODE	DESCRIPTION	WIDTH x DEPTH (mm)
<input type="checkbox"/> 93296	Varilite Pro-Form NX™, dual chamber	300x350
<input type="checkbox"/> 93297	Varilite Pro-Form NX™, dual chamber	350x350
<input type="checkbox"/> 93298	Varilite Pro-Form NX™, dual chamber	350x400
<input type="checkbox"/> 93113	Varilite Pro-Form NX™, dual chamber	380x380
<input type="checkbox"/> 93114	Varilite Pro-Form NX™, dual chamber	380x430
<input type="checkbox"/> 93299	Varilite Pro-Form NX™, dual chamber	400x400
<input type="checkbox"/> 93300	Varilite Pro-Form NX™, dual chamber	400x450
<input type="checkbox"/> 93301	Varilite Pro-Form NX™, dual chamber	400x500
<input type="checkbox"/> 93115	Varilite Pro-Form NX™, dual chamber	430x430
<input type="checkbox"/> 93302	Varilite Pro-Form NX™, dual chamber	450x400
<input type="checkbox"/> 93303	Varilite Pro-Form NX™, dual chamber	450x450
<input type="checkbox"/> 93304	Varilite Pro-Form NX™, dual chamber	450x500
<input type="checkbox"/> 93116	Varilite Pro-Form NX™, dual chamber	500x400
<input type="checkbox"/> 93117	Varilite Pro-Form NX™, dual chamber	500x450
<input type="checkbox"/> 93305	Varilite Pro-Form NX™, dual chamber	500x500



Varilite Reflex™

Non-adjustable skin protection cushion featuring VARILITE's unique Air-Release Device™.

	CODE	DESCRIPTION	WIDTH x DEPTH (mm)
<input type="checkbox"/>	93491	Varilite Reflex™	300x300
<input type="checkbox"/>	93492	Varilite Reflex™	300x350
<input type="checkbox"/>	93493	Varilite Reflex™	350x350
<input type="checkbox"/>	93494	Varilite Reflex™	350x400
<input type="checkbox"/>	93495	Varilite Reflex™	350x450
<input type="checkbox"/>	93496	Varilite Reflex™	350x500
<input type="checkbox"/>	93497	Varilite Reflex™	380x380
<input type="checkbox"/>	93498	Varilite Reflex™	380x430
<input type="checkbox"/>	93499	Varilite Reflex™	400x350
<input type="checkbox"/>	93500	Varilite Reflex™	400x400
<input type="checkbox"/>	93501	Varilite Reflex™	400x450
<input type="checkbox"/>	93502	Varilite Reflex™	400x500
<input type="checkbox"/>	93503	Varilite Reflex™	430x430
<input type="checkbox"/>	93504	Varilite Reflex™	450x400
<input type="checkbox"/>	93505	Varilite Reflex™	450x450
<input type="checkbox"/>	93506	Varilite Reflex™	450x500
<input type="checkbox"/>	93507	Varilite Reflex™	500x400
<input type="checkbox"/>	93508	Varilite Reflex™	500x450
<input type="checkbox"/>	93509	Varilite Reflex™	500x500



Varilite Stratus

The Varilite Stratus Cushion is a great choice for people who have a moderate to low risk of tissue breakdown and moderate positioning needs. The cushion has a unique self-inflating valve, which allows air in and out of the cushion so it can contour to the user's shape.

	CODE	DESCRIPTION	WIDTH x DEPTH (mm)
<input type="checkbox"/>	93047	Varilite Stratus	300x300
<input type="checkbox"/>	93048	Varilite Stratus	300x350
<input type="checkbox"/>	93049	Varilite Stratus	350x350
<input type="checkbox"/>	93050	Varilite Stratus	350x400
<input type="checkbox"/>	93110	Varilite Stratus	380x380
<input type="checkbox"/>	93111	Varilite Stratus	380x430
<input type="checkbox"/>	93051	Varilite Stratus	400x400
<input type="checkbox"/>	93052	Varilite Stratus	400x450
<input type="checkbox"/>	93053	Varilite Stratus	430x430
<input type="checkbox"/>	93054	Varilite Stratus	450x400
<input type="checkbox"/>	93055	Varilite Stratus	450x450
<input type="checkbox"/>	93112	Varilite Stratus	450x500
<input type="checkbox"/>	93056	Varilite Stratus	500x450
<input type="checkbox"/>	93057	Varilite Stratus	500x500



Low-profile, adjustable skin protection performance cushion for active wheelchair users

Varilite Zoid™
PSV

CODE	DESCRIPTION	WIDTH x DEPTH (mm)
<input type="checkbox"/> 93031	Varilite Zoid™ PSV	300x300
<input type="checkbox"/> 93032	Varilite Zoid™ PSV	300x350
<input type="checkbox"/> 93033	Varilite Zoid™ PSV	350x350
<input type="checkbox"/> 93034	Varilite Zoid™ PSV	350x400
<input type="checkbox"/> 93100	Varilite Zoid™ PSV	350x450
<input type="checkbox"/> 93101	Varilite Zoid™ PSV	380x380
<input type="checkbox"/> 93102	Varilite Zoid™ PSV	380x430
<input type="checkbox"/> 93035	Varilite Zoid™ PSV	400x400
<input type="checkbox"/> 93036	Varilite Zoid™ PSV	400x450
<input type="checkbox"/> 93103	Varilite Zoid™ PSV	400x500
<input type="checkbox"/> 93104	Varilite Zoid™ PSV	430x430
<input type="checkbox"/> 93105	Varilite Zoid™ PSV	450x400
<input type="checkbox"/> 93037	Varilite Zoid™ PSV	450x450
<input type="checkbox"/> 93106	Varilite Zoid™ PSV	450x500
<input type="checkbox"/> 93107	Varilite Zoid™ PSV	500x400
<input type="checkbox"/> 93108	Varilite Zoid™ PSV	500x450
<input type="checkbox"/> 93109	Varilite Zoid™ PSV	500x500



Ideal for children with a high degree of tissue breakdown and symmetric positioning needs

Varilite Junior

CODE	DESCRIPTION	WIDTH x DEPTH (mm)
<input type="checkbox"/> 93588	Varilite Junior	250x250
<input type="checkbox"/> 93599	Varilite Junior	275x325
<input type="checkbox"/> 93600	Varilite Junior	300x300

5 Backrest

Backrest bracket

CODE	DESCRIPTION	
<input type="checkbox"/> 80298	Backrest bracket adjustable	seat width adjustable in steps 380 - 400 - 450 - 500 - 550 mm
<input type="checkbox"/> 80298-1	Backrest bracket adjustable JUNIOR	seat width adjustable in steps 250 - 300 - 350 mm
<input type="checkbox"/> 80355	Backrest bracket adjustable Extra long tubes for mounting other back systems	seat width adjustable in steps 380, 400, 450, 500, 550 mm



80298



80298-1
Junior

Backrest system



Icon™ Back System
Low

Combines innovative VariLock™ hardware with a sleek, low profile look



Icon™ Back System
Mid

Provides support and positioning to improve trunk control and decrease fatigue



Icon™ Back System
Tall

Well suited for users needing additional support or with a tilt-recline system



Icon™ Back System
Deep

Ideal for users needing maximum support

CODE	DESCRIPTION	SEAT WIDTH (mm)
<input type="checkbox"/>	93560 Icon™ Back System Low	350
<input type="checkbox"/>	93561 Icon™ Back System Low	380
<input type="checkbox"/>	93562 Icon™ Back System Low	400
<input type="checkbox"/>	93563 Icon™ Back System Low	430
<input type="checkbox"/>	93564 Icon™ Back System Low	450
<input type="checkbox"/>	93565 Icon™ Back System Low	500
<input type="checkbox"/>	93587 Icon™ Back System Mid	250
<input type="checkbox"/>	93544 Icon™ Back System Mid	300
<input type="checkbox"/>	93545 Icon™ Back System Mid	350
<input type="checkbox"/>	93546 Icon™ Back System Mid	380
<input type="checkbox"/>	93547 Icon™ Back System Mid	400
<input type="checkbox"/>	93548 Icon™ Back System Mid	430
<input type="checkbox"/>	93549 Icon™ Back System Mid	450
<input type="checkbox"/>	93550 Icon™ Back System Mid	500
<input type="checkbox"/>	93551 Icon™ Back System Mid	550
<input type="checkbox"/>	93552 Icon™ Back System Mid	600
<input type="checkbox"/>	93553 Icon™ Back System Tall	300
<input type="checkbox"/>	93554 Icon™ Back System Tall	350
<input type="checkbox"/>	93555 Icon™ Back System Tall	380
<input type="checkbox"/>	93556 Icon™ Back System Tall	400
<input type="checkbox"/>	93557 Icon™ Back System Tall	430
<input type="checkbox"/>	93558 Icon™ Back System Tall	450
<input type="checkbox"/>	93559 Icon™ Back System Tall	500
<input type="checkbox"/>	93586 Icon™ Back System Deep	250
<input type="checkbox"/>	93538 Icon™ Back System Deep	350
<input type="checkbox"/>	93539 Icon™ Back System Deep	380
<input type="checkbox"/>	93540 Icon™ Back System Deep	400
<input type="checkbox"/>	93541 Icon™ Back System Deep	430
<input type="checkbox"/>	93542 Icon™ Back System Deep	450
<input type="checkbox"/>	93546 Icon™ Back System Deep	500

Backrest adjustments and options

CODE	DESCRIPTION	
<input type="checkbox"/>	80363 Mechanical backrest adjustment, quick release	
<input type="checkbox"/>	80577 Mechanical backrest adjustment, gas spring	
<input type="checkbox"/>	97235 Electric backrest	95°-135°
<input type="checkbox"/>	97234 Electric backrest with extender bracket actuator (80872)	95°-150°



80363



80577

Lateral support

CODE		DESCRIPTION				
for seat width						
30cm	35-38cm	40-43cm	45cm	50-60cm		
93254	93255	93256	93257	93258	Varilite lateral support fixed, set	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
93239	93240	93241	93242	93243	Varilite lateral support swing away, set	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	short 75 x 100mm	
93249	93250	93251	93252	93253	Varilite lateral support swing away, set	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	medium 100 x 130mm	
93244	93245	93246	93247	93248	Varilite lateral support swing away, set	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	long 130 x 150mm	



Fixed



Swing away short



Swing away medium



Swing away long

Head support

CODE	DESCRIPTION
<input type="checkbox"/> 80337	Head support (225 x 120 mm) incl. bracket (80288)
<input type="checkbox"/> 80829	Head support medium (175 x 95 mm) incl. bracket (80288-2)
<input type="checkbox"/> 80267	Head support with support pad



80267

Thigh support

CODE	DESCRIPTION
<input type="checkbox"/> 93262 80328	Thigh support, incl. bracket, cushion 75 x 100 mm, set
<input type="checkbox"/> 93263 80328	Thigh support, incl. bracket, cushion 100 x 130 mm, set
<input type="checkbox"/> 93264 80328	Thigh support, incl. bracket, cushion 130 x 150 mm, set



Belts & support

CODE					DESCRIPTION
<input type="checkbox"/>	93231				Varilite chest belt
	XS	S	M	L	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
93221	93222	93223	93224		Varilite 2-point hip belt
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
93225	93226	93227	93228		Varilite 4-point hip belt
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
93235	93236	93237	93238		Varilite Band-It, Ankle, set
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
93272	93232	93233	93234		Varilite contoured chest harness
<input type="checkbox"/>	80765				Bracket for chest harness



Chest belt



2-point hip belt



4-point hip belt



Ankle



Harness

6 Arm support

CODE	DESCRIPTION	
<input type="checkbox"/>	80289 Arm support flip-up with front support lockable, set	height adjustable from 185 to 285 mm
<input type="checkbox"/>	80302 Arm support flip-up, set	height adjustable from 185 to 285 mm
<input type="checkbox"/>	80743 Stop for Flip up arm support	prevents arm support from going further back
<input type="checkbox"/>	80347 Arm support bracket rigid, set	adjustable from 100 to 280 mm from the seat plate

Options for armsupport

CODE	DESCRIPTION			
<input type="checkbox"/>	80320 Arm pad cushion, right, short 320mm	length 320mm		
<input type="checkbox"/>	80335 Arm pad cushion, right, long 430mm	length 430mm		
<input type="checkbox"/>	80336 Arm pad cushion, left, short 320mm	length 320mm		
<input type="checkbox"/>	80321 Arm pad cushion, left, long 430mm	length 430mm		
<input type="checkbox"/>	80651 Aluminium edge for arm support cushion short			
<input type="checkbox"/>	80652 Aluminium edge for arm support cushion long			
<input type="checkbox"/>	80371 Arm support bracket, set	o VL pad 75x100mm	o VL pad 100x130mm	o VL pad 130x150mm
<input type="checkbox"/>	80830 Swing bracket for arm pad right	for armrest flip-up 80302		
<input type="checkbox"/>	80830-1 Swing bracket for armpad left	for armrest flip-up 80302		
<input type="checkbox"/>	80994 Purse -leather bag for arm support			
<input type="checkbox"/>	20248 Purse -pocket for arm support			



80320/80336



80335/80321



80651/80652



80830/80830-1



80371



80994



20248

7 Leg support and Footplate

Two-piece leg support

CODE	DESCRIPTION	
<input type="checkbox"/> 80700-1	Manual elevating leg support, right	
<input type="checkbox"/> 80701-1	Manual elevating leg support, left	
<input type="checkbox"/> 80628	Electric elevating leg support, right	
<input type="checkbox"/> 80629	Electric elevating leg support, left	
<input type="checkbox"/> 80716	Amputation elevating leg support right	
<input type="checkbox"/> 80717	Amputation elevating leg support left	
<input type="checkbox"/> 80721	Knee pad standard right	for electric separate leg support, right 80628
<input type="checkbox"/> 80730	Knee pad standard left	for electric separate leg support, left 80629
<input type="checkbox"/> 80631-3	Lower tube for leg support straight + 100mm	
<input type="checkbox"/> 80631-2	Lower tube for leg support curved + 100mm	



80700-1/80701-1



80628/80629



80716/80717



80721 / 80730

Central leg support with single footplate

CODE	DESCRIPTION	
<input type="checkbox"/> 95083	Center manual leg support adjustable	
<input type="checkbox"/> 95083 81017	Center manual leg support adjustable	incl. kit for electric footplate
<input type="checkbox"/> 80357	Center power leg support with calf pads	mechanically length adjustment (via screws) 340-430mm + 150mm electrical length adjustment (via controller)
<input type="checkbox"/> 81128 81017	Center power leg support with calf pads incl. electric flip-up footplate	mechanically length adjustment (via screws) 340-430mm + 150mm electrical length adjustment (via controller)
<input type="checkbox"/> 80571	Center power leg support short with calfpads	mechanically length adjustment (via screws) 250-310mm + 80mm electrical length adjustment (via controller)
<input type="checkbox"/> 81130 81017	Center power leg support short with calfpads incl. electric flip-up footplate	mechanically length adjustment (via screws) 250-390mm + 80mm electrical length adjustment (via controller)



95083



81017
Footplate flip-up
electric



80357

Footplate for central leg support

CODE	DESCRIPTION
<input type="checkbox"/> 80373-2	Footplate moulded standard complete with edge
<input type="checkbox"/> 80539-1	Footplate with cutout moulded complete with edge
<input type="checkbox"/> 80818	Footplates divided



80373-2




80539-1



80818

Options for central leg support

CODE	DESCRIPTION
<input type="checkbox"/> 80690	Leather pad for center leg support, knee protection



80690

8 Lighting

CODE	DESCRIPTION
<input type="checkbox"/> 97223	Active LED lighting
<input type="checkbox"/> ---	Without lighting

9 Control module and accessories

CODE	DESCRIPTION		
<input type="checkbox"/> 95174	Controller, JSM, LED Entry level	w/o light	Power Module 120A
<input type="checkbox"/> 95253	Controller, JSM-L LED	for light	Power Module 120A
<input type="checkbox"/> 95172-1	Controller, CJSM, SW (direct actuator)	w/o light	Power Module 120A
<input type="checkbox"/> 95252-1	Controller, CJSM-L-SW(direct actuator)	for light	Power Module 120A
<input type="checkbox"/> 95501	Controller CJSM2-L	infrared function	Power Module 120A
<input type="checkbox"/> 95524	Controller, CJSM2, Bluetooth	infrared & bluetooth func.	Power Module 120A



95174/95253

JSM LED



95172-1/95252-1

CJSM



95501/95524

CJSM-2

Control module bracket

CODE	DESCRIPTION
<input type="checkbox"/> 80407	Right swingaway bracket for control module right
<input type="checkbox"/> 80408	Left swingaway bracket for control module left
<input type="checkbox"/> 80838	Drop-Down bracket universal




80407/80408



80838

Control module knob

CODE	DESCRIPTION
95153	Standard
95154	Mushroom M48
95155	Ball 38 mm
95299	Ball 32mm
95306	Chin C38
95298	Cone S30
95305	Stick S80
95301	T-bar
95300	Softball 70mm
Select color	Golfball



Special operating modules

CODE	DESCRIPTION	
<input type="checkbox"/> 97342	TA hand control for CJSM, incl. bracket (80678)	
<input type="checkbox"/> 97343	TA hand control for CJSM2, incl. bracket (80678)	
<input type="checkbox"/> 95213-1	Attendant controller	
<input type="checkbox"/> 80903	1 hand Attendant bracket swing	without controller 95213-1
<input type="checkbox"/> 80533	TA 2-hand attendant control, with emergency stop	without controller 95213-1



97342/97343

10 Accessories

CODE	DESCRIPTION
<input type="checkbox"/> 80163	Tray, adult, with bracket (80518)
<input type="checkbox"/> 80164	Tray, junior, with bracket
<input type="checkbox"/>	Half tray, on request and customized
<input type="checkbox"/> 80175	Bag hooks
<input type="checkbox"/> 97285	TA flight kit

Flight kit is designed to disconnect the batteries easily.
This is a requirement for most airlines



80162/80164



80175